

Reference List of Structural Fixing

Ref. No.	Product Name	Name of Manufacturer and Place of Manufacture (City and Country)	Material Category	Application	Compliance Testing Standard	Details of Test or Assessment Report				Date of Posting on CDB	Remarks / Comments
						Name of Laboratory Accreditation Body	Name of Laboratory / Assessing Organization	Report No.	Date of Test / Assessment Report		
BD-AF 123	Sampag TSA Anchor Channel 41/25 with 2Nos Grade 4.6 ZP M16 T-bolt & Anchor Channel 51/31 with 2Nos Grade 4.6 ZP M20 T-bolt	Sampag Anchoring Systems Ltd. Hong Kong, China	Galvanized hot-rolled carbon steel Channel: Grade S235JRG2 to EN10025 Anchor stud: Grade S235JRG2 to EN10025 T-bolt: Grade 4.6 to EN ISO 898-1 Zinc Plated	Cast-in channel with inserted T-bolt subject to axial tension and shear	BS 5080: Part 1: 1993 BS 5080: Part 2: 1986	HOKLAS N/A	Castco Testing Centre Ltd	BD 0091007-12 to 16 BD 0090710-1 to 5 BD0090710-16 to 20 BD 0091007-17 to 21 BD 0090710-6 to 10 BD 0090710-11 to 15	14 July 2009 14 October 2009	25/8/2010	The application is to be considered individually with regard to the fire resistance aspect. Tests for quality control and workmanship may be required during construction.